

| L Number | Hits  | Search Text   | DB  | Time stamp       |
|----------|-------|---|---|------------------|
| 1        | 5955  | central\$5 NEAR (configur\$3 OR configurat\$5)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:14 |
| 2        | 28571 | central\$5 NEAR5 (configur\$3 OR configurat\$5)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:30 |
| 3        | 73    | (central\$5 NEAR5 (configur\$3 OR configurat\$5)) NEAR20 (repository! OR metadata! OR "meta data")  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:01 |
| 4        | 19    | ((central\$5 NEAR5 (configur\$3 OR configurat\$5)) NEAR20 (repository! OR metadata! OR "meta data")) NOT @AD>19981230   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:40 |
| 5        | 7400  | (database\$2 OR "data base" OR dbms!) NEAR2 (performance! OR operation\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:23 |
| 6        | 6     | (central\$5 NEAR5 (configur\$3 OR configurat\$5)) SAME ((database\$2 OR "data base" OR dbms!) NEAR2 (performance! OR operation\$2))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:24 |
| 7        | 137   | ((database\$2 OR "data base" OR dbms!) NEAR2 (performance! OR operation\$2)) SAME (repository! OR metadata! OR "meta data")   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:04 |
| 9        | 8     | (central\$5 NEAR5 (configur\$3 OR configurat\$5)) AND (((database\$2 OR "data base" OR dbms!) NEAR2 (performance! OR operation\$2)) SAME (repository! OR metadata! OR "meta data"))               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:30 |
| 10       | 30    | (central\$5 NEAR5 (configur\$3 OR configurat\$5)) AND ((database\$2 OR "data base" OR dbms!) NEAR2 (performance! OR operation\$2)) AND (repository! OR metadata! OR "meta data") NOT @AD>19981230 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:11 |
| 11       | 553   | centralized! SAME (repository! OR metadata! OR "meta data")   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:40 |
| 12       | 51    | ((database\$2 OR "data base" OR dbms!) NEAR2 (performance! OR operation\$2)) AND (centralized! SAME (repository! OR metadata! OR "meta data"))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:40 |
| 13       | 8     | ((database\$2 OR "data base" OR dbms!) NEAR2 (performance! OR operation\$2)) AND (centralized! SAME (repository! OR metadata! OR "meta data"))) NOT @AD>19981230                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:48 |
| 14       | 622   | olap! OR "online analytical" OR "on-line analytical"  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:46 |
| 15       | 1604  | oltp! OR "online transaction" OR "on-line transaction"  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:48 |

|    |      |  |   |                  |
|----|------|--|---|------------------|
| 16 | 85   | (olap! OR "online analytical" OR "on-line analytical") AND (oltp! OR "online transaction" OR "on-line transaction")  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:48 |
| 17 | 10   | (central\$5 NEAR5 (configur\$3 OR configurat\$5)) AND ((olap! OR "online analytical" OR "on-line analytical") AND (oltp! OR "online transaction" OR "on-line transaction"))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:48 |
| 18 | 1    | ((central\$5 NEAR5 (configur\$3 OR configurat\$5)) AND ((olap! OR "online analytical" OR "on-line analytical") AND (oltp! OR "online transaction" OR "on-line transaction")))) NOT @AD>19981230  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:01 |
| 19 | 1524 | datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart"   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:54 |
| 20 | 610  | datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts"  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:55 |
| 21 | 2044 | (olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:56 |
| 22 | 92   | (oltp! OR "online transaction" OR "on-line transaction") SAME ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts"))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:02 |
| 23 | 23   | (oltp! OR "online transaction" OR "on-line transaction") SAME ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (load\$3 OR cost\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 09:57 |
| 24 | 59   | ((oltp! OR "online transaction" OR "on-line transaction") SAME ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")))) AND (repository! OR metadata! OR "meta data")                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:01 |
| 25 | 11   | ((oltp! OR "online transaction" OR "on-line transaction") SAME ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")))) AND (repository! OR metadata! OR "meta data")) NOT @AD>19981230 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:01 |

|    |      |   |   |                  |
|----|------|---|---|------------------|
| 26 | 2    | (central\$5 NEAR5 (configur\$3 OR configurat\$5)) AND (oltp! OR "online transaction" OR "on-line transaction") AND ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) NOT @AD>19981230 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:11 |
| 27 | 0    | (oltp! OR "online transaction" OR "on-line transaction") AND ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) AND (repository! OR metadata! OR "meta data") NOT @AD>1998             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:10 |
| 28 | 375  | ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:34 |
| 29 | 3    | (central\$5 NEAR5 (configur\$3 OR configurat\$5)) AND (((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)) NOT @AD>19981230                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:28 |
| 30 | 2298 | configur\$6 SAME (repository! OR metadata! OR "meta data")  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 11:15 |
| 31 | 50   | ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)) AND (configur\$6 SAME (repository! OR metadata! OR "meta data"))                                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:41 |
| 32 | 7    | ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)) AND (configur\$6 SAME (repository! OR metadata! OR "meta data")) NOT @AD>19981230                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:28 |
| 33 | 26   | configur\$6 AND (repository! OR metadata! OR "meta data") AND ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)) NOT @AD>19981230                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:31 |

|    |       |   |   |                  |
|----|-------|---|---|------------------|
| 34 | 19    | (configur\$6 AND (repository! OR metadata! OR "meta data") AND (((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)) NOT @AD>19981230) NOT (((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)) AND (configur\$6 SAME (repository! OR metadata! OR "meta data")) NOT @AD>19981230) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:32 |
| 35 | 31    | ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2) SAME (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:38 |
| 36 | 5     | ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2) AND (automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5)) NOT @AD>19981230   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:40 |
| 37 | 18672 | (automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:40 |
| 38 | 41    | ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2) OR (configur\$6 SAME (repository! OR metadata! OR "meta data")) SAME ((automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5))) NOT @AD>19981230  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:44 |
| 39 | 57    | ((repository! OR centralized!) SAME ((automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5))) NOT @AD>19981230  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:52 |
| 40 | 2     | ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) OR (oltp! OR "online transaction" OR "on-line transaction") SAME ((automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5))) NOT @AD>19981230   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 10:53 |

|    |     |  |   |                  |
|----|-----|--|---|------------------|
| 41 | 337 | ((database\$2 OR "data base") SAME ((automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5)))) NOT @AD>19981230   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 11:08 |
| 42 | 66  | ((database\$2 OR "data base") NEAR20 (management! OR server\$2)) SAME ((automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5)))) NOT @AD>19981230  | USPÄT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 11:14 |
| 43 | 362 | (server\$2 SAME ((automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5)))) NOT @AD>19981230  | USPÄT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 11:15 |
| 44 | 56  | ((server\$2 SAME ((automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5)))) NOT @AD>19981230) AND (repository! OR metadata! OR "meta data") NOT @AD>19981230   | USPÄT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 11:16 |
| 45 | 50  | ((server\$2 SAME ((automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5)))) NOT @AD>19981230) AND (repository! OR metadata! OR "meta data") NOT @AD>19981230) NOT (((database\$2 OR "data base") NEAR20 (management! OR server\$2)) SAME ((automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5)))) NOT @AD>19981230 | USPÄT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/28 11:16 |